



Customer Contact Details

<p>Customer Name: _____</p> <p>Advisor: _____</p> <p>Address: _____</p> <p>_____</p> <p>_____</p> <p>Phone: _____</p> <p>Email: _____</p>	<p>Ship to Customer Address: <input type="checkbox"/></p> <p>Shipping Name: _____</p> <p>Shipping Address: _____</p> <p>_____</p> <p>_____</p> <p>Phone: _____</p> <p>Email: _____</p>
---	--

Additional Information

<p>Notes: _____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>Current Wheelchair: _____</p> <p>Customer Weight: _____</p> <p>Customer Height: _____</p> <p>Customer Disability: _____</p>
--	--

Other

<p><u>VAT Exemption Declaration (UK Only):</u></p> <p>I declare that I am chronically sick or disabled by reason of:</p> <p>_____</p> <p>and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.</p> <p>Signature: _____ Date: _____</p>	<p><u>RGK Contact Authorisation:</u></p> <p>From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.</p> <p>I would like to be contacted by RGK: <input type="checkbox"/></p> <p>Signature: _____ Date: _____</p>
--	---

Guide: Base product Required option Optional Extra Critical Information Information Needed



PRODUCT STYLE

TGAX2010 TIGA

XA070 Open design

XA080 Closed design

TGAXA085 Crash tested upgrade

XA070 - Open design XA080 - Closed design

Max User Weight 125kg (275lbs)

PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM

CAD APPROVAL

XW009 QUOTE ONLY (NO CAD FOR APPROVAL) XW011 ORDER (NO CAD FOR APPROVAL)

XW012 QUOTE / CAD drawing for approval
(2 customer amendments ONLY) XW010 ORDER CAD drawing for approval
(2 customer amendments ONLY)

KEY MEASUREMENTS

XY010 Seat width *(Inside to inside of sideguards)*

XY020 Seat length

XY030 Extra Seat Length *(Provides additional leg support & hand grip)*

XY050 Front frame height

XY060 Rear frame height

XY070 Frame length

XY072 Castor position

XA020 Ergonomic seat

mm (Max - 500mm)

mm (Max - 500mm)

mm

mm (Max - 550mm)
(Min - 380mm)

mm (Max - 550mm)
(Min - 360mm)




mm (Min = XY020 + XY030 + 140mm)

mm

Optimise measurements TX Forward Castor Position

Specify length

mm (Standard = 120mm)


FRONT FRAME AND FOOTREST

Front Frame Options

XY080 Seat taper design

i Specify width mm


(When combined with XY091, dimension is inbetween the centre of the main bends)



XY091 Parallel taper design

i Specify width mm


(When combined with XY080, dimensions must be smaller by 20mm)



Footrest Design (Choose One)


XY100 Round design

Castor Size	Max Height	With XB200
3"	115mm	165mm
4"	125mm	175mm
5"	135mm	185mm




XY105 Square design


Castor Size	Max Height	With XB200
3"	135mm	185mm
4"	145mm	195mm
5"	155mm	205mm



XB200 High level footrest (Only with XB010, XB080 & XB150)



XB200 High level footrest (Only with XB010, XB080 & XB150)



Footrest Individual Measurements

XY115 Front footrest height


! mm

XY120 Rear footrest height

i mm (Std = 20 lower than front height)

XY125 Footrest length

i mm (Std = 100mm) (160mm and over requires heavy duty upgrade XB150)



Footrest Style (Choose One)

XB010 Tubular aluminium footrest (Height adjustable)

XB030 Flip up plastic footrest (Angle/height adjustable, with closed frame only)

XB070 Angle adjustable aluminium footrest (Angle/height adjustable)

XB150 Heavy duty tubular footrest (Height adjustable, for Freewheel use)

TGAXB080 Tubular footrest welded into frame (No height adjustment)

Footrest Cover

XB050 Carbon fibre cover (Not with XB070 & XB030)

XB170 Aluminium cover (Not with XB070 & XB030)

XB040 Plastic Cover (Not with XB070 & XB030)

XB165 Rubber grip tape (3M Safety walk) - (not with XB030)

CASTOR WHEELS, FORKS & WHEEL LOCKS										
Castor Wheels 100mm (4")										
<input type="checkbox"/> XC060	Soft roll 4"x1.3" <i>(Black only)</i>									
<input type="checkbox"/> XC110	Aluminium centre 4"x1" <i>(Silver hub and black urethane tyre only)</i>									
<input type="checkbox"/> XC130	Aluminium centre 4"x1.4" <i>(choose colour below)</i>									
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 20%;"> <p>i</p> </div> <div style="width: 60%;"> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"><input type="checkbox"/> Silver hub & black tyre (Std)</td> <td style="width: 33%;"><input type="checkbox"/> Gold hub & black tyre</td> <td style="width: 33%;"><input type="checkbox"/> Purple hub & black tyre</td> </tr> <tr> <td><input type="checkbox"/> Black hub & black tyre</td> <td><input type="checkbox"/> Green hub & black tyre</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Red hub & black tyre</td> <td><input type="checkbox"/> Blue hub & black tyre</td> <td></td> </tr> </table> </div> </div>		<input type="checkbox"/> Silver hub & black tyre (Std)	<input type="checkbox"/> Gold hub & black tyre	<input type="checkbox"/> Purple hub & black tyre	<input type="checkbox"/> Black hub & black tyre	<input type="checkbox"/> Green hub & black tyre		<input type="checkbox"/> Red hub & black tyre	<input type="checkbox"/> Blue hub & black tyre	
<input type="checkbox"/> Silver hub & black tyre (Std)	<input type="checkbox"/> Gold hub & black tyre	<input type="checkbox"/> Purple hub & black tyre								
<input type="checkbox"/> Black hub & black tyre	<input type="checkbox"/> Green hub & black tyre									
<input type="checkbox"/> Red hub & black tyre	<input type="checkbox"/> Blue hub & black tyre									
125mm (5")										
<input type="checkbox"/> XC070	Soft roll 5"x1.3" <i>(Black only)</i>									
<input type="checkbox"/> XC100	Pneumatic Aluminium centre 5"x1" <i>(Grey only)</i>									
<input type="checkbox"/> XC120	Aluminium centre 5"x1" <i>(Silver hub and black urethane tyre only)</i>									
<input type="checkbox"/> XC140	Aluminium centre 5"x1.4" <i>(Silver hub and black urethane tyre only)</i>									
150mm (6")										
<input type="checkbox"/> XC080	Soft roll 6"x1.3" <i>(Black hub / grey tyre only)</i>									
<input type="checkbox"/> XC145	Aluminium centre 6"x1.4" <i>(Silver hub and black urethane tyre only)</i>									
200mm (8")										
<input type="checkbox"/> XC185	Pneumatic offroad 8"x2" <i>(only with TX Forward castor position)</i>									
Castor Forks										
<input type="checkbox"/> XC192	Anti-Flutter castor fork <i>(Std when no option selected)</i>									
Note: Colour follows accent										
<input type="checkbox"/> XC210	Froglegs suspension castor fork									
<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;">i</div> <div style="display: flex; gap: 10px;"> <input type="checkbox"/> Black <input type="checkbox"/> Silver </div> </div>										
Castor Pin Width										
<input checked="" type="checkbox"/> XY330	Castor pin width									
<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">!</div> <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> mm </div> </div>										
<input type="checkbox"/>	Optimise measurements									
Wheel Lock Options (choose one)										
<input type="checkbox"/> XD020	Underseat Scissor									
<input type="checkbox"/> XD030	Compact scissor									
<input type="checkbox"/> XD035	Compact scissor with lightweight fixing <i>(Only with fixed centre of gravity)</i>									
<input type="checkbox"/> XD050	Push to lock									
<input type="checkbox"/> XD046	Out Front push to lock									
<input type="checkbox"/> XD085	Eagle Brakes (Indicate colour)									
<input type="checkbox"/> XD086	Eagle Brakes with L/W fixing (Indicate colour) <i>(Only with fixed centre of gravity)</i>									
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <input type="checkbox"/> BLACK </div> <div style="text-align: center;"> <input type="checkbox"/> PURPLE </div> <div style="text-align: center;"> <input type="checkbox"/> RED </div> <div style="text-align: center;"> <input type="checkbox"/> BLUE </div> </div> <p style="text-align: center; font-weight: bold; font-size: 8px;">Black Std if no option selected</p>										
<input type="checkbox"/> XD010	Omit wheel locks									

SIDEGUARDS AND ARMRESTS


Sideguard Aluminium Options		Sideguard with Fender Aluminium Options	
<input type="checkbox"/> XE030	Screw on aluminium	<input type="checkbox"/> XE040	Screw on aluminium with fender
<input type="checkbox"/> XE080	Lift out aluminium	<input type="checkbox"/> XE090	Lift out aluminium with fender
<input type="checkbox"/> TGAXE130	Fold flat aluminium	<input type="checkbox"/> TGAXE140	Fold flat aluminium with fender
<input type="checkbox"/> XE180	Flip back aluminium	<input type="checkbox"/> XE190	Flip back aluminium with fender
<input type="checkbox"/> TGAXE220	Welded with 6mm bead		
<input type="checkbox"/> TGAXE230	Welded aluminium sport <i>(Extra strong)</i>		
Carbon Fibre Options		Carbon Fibre Options	
<input type="checkbox"/> XE050	Screw on carbon fibre	<input type="checkbox"/> XE060	Screw on carbon fibre with fender
<input type="checkbox"/> XE100	Lift out carbon fibre	<input type="checkbox"/> XE110	Lift out carbon fibre with fender
<input type="checkbox"/> TGAXE150	Fold flat carbon fibre	<input type="checkbox"/> TGAXE160	Fold flat carbon fibre with fender
<input type="checkbox"/> XE200	Flip back carbon fibre	<input type="checkbox"/> XE210	Flip back carbon fibre with fender
ABS Plastic Options		Sideguard Measurements Fender Height	
<input type="checkbox"/> XE070	Screw on ABS plastic	<input type="checkbox"/> 10mm above tyre <i>(Standard)</i>	
<input type="checkbox"/> XE120	Lift out ABS plastic	<input type="checkbox"/> Individual above tyre <i>(Min = 10mm)</i>	
<input type="checkbox"/> TGAXE170	Fold flat ABS plastic	<input type="checkbox"/> <input type="text" value=""/> mm	
Sideguard Measurements Optimised measurements		Fender position	
<input type="checkbox"/> 25mm above tyre <i>(Follow tyre)</i>		<input type="checkbox"/> Centre of tyre <i>(Standard if no option selected)</i>	
<input type="checkbox"/> Individual above tyre <i>(Follow tyre)</i>		<input type="checkbox"/> Outside of tyre	
<input type="checkbox"/> Level with tyre <i>(Follow tyre)</i> <input type="checkbox"/> <input type="text" value=""/> mm			
Individual measurements		Armrest Options	
<input type="checkbox"/> Sideguard length		<input type="checkbox"/> XF010	Lift out armrest with plastic sideguard <i>(Indicate fixed height)</i>
<input type="checkbox"/> <input type="text" value=""/> mm		<input type="checkbox"/> XF020	Lift out armrest with Aluminium sideguard <i>(Indicate fixed height)</i>
<input type="checkbox"/> Sideguard height		<input type="checkbox"/> <input type="text" value=""/> mm <i>Height (Top of seatrail to top of armrest)</i>	
<input type="checkbox"/> <input type="text" value=""/> mm			

BACKREST									
Backrest Height									
<input type="checkbox"/> XY230 Fixed height backrest <input type="checkbox"/> Specify height <input style="width: 100px;" type="text"/> mm 	<input type="checkbox"/> XY245 Adjustable height backrest (+/-25mm) <input type="checkbox"/> Specify height <input style="width: 100px;" type="text"/> mm 								
Backrest Design									
<input type="checkbox"/> XG010 Fixed backrest (Non-folding)	<input type="checkbox"/> TGAXG020 Folding backrest (with 2 position snap lock and angle adjust ± 5 Deg)								
Ergonomic Options									
<input checked="" type="checkbox"/> XY360 Backrest angle <input type="checkbox"/> -5 <input type="checkbox"/> -3 <input type="checkbox"/> 0 <input type="checkbox"/> +3 <input type="checkbox"/> +5 <input type="checkbox"/> Individual <input style="width: 100px;" type="text"/> mm (Max -10/+20 Deg) 	<input type="checkbox"/> XG100 Ergonomic backrest <input type="checkbox"/> Vertical height <input style="width: 100px;" type="text"/> mm <input type="checkbox"/> Rearward position <input style="width: 100px;" type="text"/> mm 								
<input type="checkbox"/> XG110 Inward taper (inside of backrest posts) <input type="checkbox"/> Specify width or per side <input style="width: 100px;" type="text"/> mm 	<input type="checkbox"/> XG120 Outward flare (inside of backrest posts) <input type="checkbox"/> Specify width or per side <input style="width: 100px;" type="text"/> mm 								
Push handle Options									
<input type="checkbox"/> XG070 Screw in push handles (N/A with XY245) <input type="checkbox"/> XG080 Flip down push handles (N/A with XY245) <input type="checkbox"/> XG085 Flip down push handles height adjustable (N/A with XY245)	<input type="checkbox"/> XG090 Stroller push handles height adjustable <input type="checkbox"/> Height from floor to top of handles <input style="width: 100px;" type="text"/> mm <input type="checkbox"/> Optimise (1000mm from floor) <input type="checkbox"/> XG097 Integrated push handle (Quickie design)								
Backrest Options									
<input type="checkbox"/> XG040 Heavy duty backrest upgrade (Recommended for hand cycling) (Not with XY245)	<input type="checkbox"/> XG130 Extra deep Square brace bar (Recommended for JAY backs) (Std - 90mm) <input type="checkbox"/> Depth <input style="width: 100px;" type="text"/> mm								
ILSA Backrest Options									
<input type="checkbox"/> XG140 Integrated lateral support <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">A - Left <input style="width: 100px;" type="text"/> mm</td> <td style="width: 50%;">A - Right <input style="width: 100px;" type="text"/> mm</td> </tr> <tr> <td>B - Left <input style="width: 100px;" type="text"/> mm</td> <td>B - Right <input style="width: 100px;" type="text"/> mm</td> </tr> <tr> <td>C - Left <input style="width: 100px;" type="text"/> mm</td> <td>C - Right <input style="width: 100px;" type="text"/> mm</td> </tr> <tr> <td>D - Left <input style="width: 100px;" type="text"/> mm</td> <td>D - Right <input style="width: 100px;" type="text"/> mm</td> </tr> </table>	A - Left <input style="width: 100px;" type="text"/> mm	A - Right <input style="width: 100px;" type="text"/> mm	B - Left <input style="width: 100px;" type="text"/> mm	B - Right <input style="width: 100px;" type="text"/> mm	C - Left <input style="width: 100px;" type="text"/> mm	C - Right <input style="width: 100px;" type="text"/> mm	D - Left <input style="width: 100px;" type="text"/> mm	D - Right <input style="width: 100px;" type="text"/> mm	
A - Left <input style="width: 100px;" type="text"/> mm	A - Right <input style="width: 100px;" type="text"/> mm								
B - Left <input style="width: 100px;" type="text"/> mm	B - Right <input style="width: 100px;" type="text"/> mm								
C - Left <input style="width: 100px;" type="text"/> mm	C - Right <input style="width: 100px;" type="text"/> mm								
D - Left <input style="width: 100px;" type="text"/> mm	D - Right <input style="width: 100px;" type="text"/> mm								

CAMBER BAR	
<p style="text-align: center; background-color: #eee; margin-bottom: 5px;">Adjustable Centre of Gravity</p> <p><input type="checkbox"/> XH110 Square back adjustable centre of gravity (25-150mm)</p> <p style="margin-left: 20px;">Specify measurement <input style="width: 100px;" type="text"/> mm</p> <p><input type="checkbox"/> XH120 Round back adjustable centre of gravity (60-150mm)</p> <p style="margin-left: 20px;">Specify measurement <input style="width: 100px;" type="text"/> mm</p>	<p style="text-align: center; background-color: #eee; margin-bottom: 5px;">Fixed Centre of Gravity</p> <p><input type="checkbox"/> TGAXH100 Single post fixed centre of gravity (25-125mm) <i>(Open frame only)</i> <i>(Not with Crash test option)</i></p> <p style="margin-left: 20px;">Specify measurement <input style="width: 100px;" type="text"/> mm</p> <p><input type="checkbox"/> TGAXH090 V-style fixed centre of gravity (25-125mm)</p> <p style="margin-left: 20px;">Specify measurement <input style="width: 100px;" type="text"/> mm</p>
<p style="text-align: center; background-color: #eee; margin-bottom: 5px;">Specify Camber Angle</p> <p><input checked="" type="checkbox"/> XY390 Camber angle</p> <p style="margin-left: 20px;"> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 5 </p>	<p style="text-align: center; background-color: #eee; margin-bottom: 5px;">Specify Camber Angle</p> <p><input checked="" type="checkbox"/> XY390 Camber angle</p> <p style="margin-left: 20px;"> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 5 </p>
<p style="text-align: center; background-color: #eee; margin-bottom: 5px;">Camber Bar Options</p> <p><input type="checkbox"/> XH040 Handbike camber bar fixed</p> <p style="margin-left: 20px;"> <input type="checkbox"/> 0 <input type="checkbox"/> 5 <input type="checkbox"/> 30 <input type="checkbox"/> 50 </p> <p><input type="checkbox"/> XH030 Froglegs suspension camber bar</p>	<p style="text-align: center; background-color: #eee; margin-bottom: 5px;">Camber Bar Options</p> <p><input type="checkbox"/> XH040 Handbike camber bar fixed</p> <p style="margin-left: 20px;"> <input type="checkbox"/> 0 <input type="checkbox"/> 5 <input type="checkbox"/> 30 <input type="checkbox"/> 50 </p>
Anti-Tip Options	
<p><input type="checkbox"/> XJ010 Swingaway anti tip LEFT side <i>(Only with square back frame. Not with XH040)</i></p> <p><input type="checkbox"/> XJ020 Swingaway anti tip RIGHT side <i>(Only with square back frame. Not with XH040)</i></p>	<p><input type="checkbox"/> XJ100 Single sport anti tip <i>(centre mounted)</i></p>

REAR WHEELS			
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels	<input type="checkbox"/> XY430	25" Wheels
		<input type="checkbox"/> XY440	26" Wheels
Rear Wheel Gap			
<input checked="" type="checkbox"/> XY460	Rear wheel gap		
	<input type="checkbox"/> 15 <input type="checkbox"/> 20 <input type="checkbox"/> 25	Individual <input style="width: 100px;" type="text"/> mm	
Rear Wheel Options			
<input type="checkbox"/> XK010	Fusion 16 spoke <i>(Silver Hub, black spokes)</i>	<input type="checkbox"/> XK320	Spinergy XLX 12 spoke (cross/radial spoked)
<input type="checkbox"/> XK050	Spinergy LX 12 spoke	<input type="checkbox"/> XK060	Spinergy SPOX 18 spoke
<input type="checkbox"/> XK150	Spinergy CLX 18 carbon blade spoke N/A IN SILVER HUB	<input type="checkbox"/> XK070	Spinergy BLXL 18 blade spoke N/A IN SILVER HUB
<input type="checkbox"/> XK155	Spinergy CX6 18 carbon blade spoke N/A IN SILVER HUB		
Spinergy Colour Options:			
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	<input type="checkbox"/> XK180 Individual spoke design <i>(Specify colour)</i> Inside: _____ Outside: _____
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes	<input type="checkbox"/> Green spokes	
Spinergy Anodise Options			
<input type="checkbox"/> XK190	Black hub <i>(std option)</i>	<input type="checkbox"/> XK200	Silver hub (N/A with BLXL/CLX)
<input type="checkbox"/> XK201	Red hub/rims (LX, XLX & BLXL only)	<input type="checkbox"/> XK205	Individual: Select colour: _____
<input type="checkbox"/> XK202	Purple hub/rims (LX, XLX & BLXL only)	<input type="checkbox"/> XK203	Blue hub/rims (LX, XLX & BLXL only)
<input type="checkbox"/> XK204	Gold hub/rims (LX, XLX & BLXL only)		
Supply Without Wheels			
<input type="checkbox"/> XK040	Supply without Wheels		<input style="width: 150px;" type="text"/> Wheel Type: <input style="width: 150px;" type="text"/> Tyre Type:
Handrim Position / Options			
<input type="checkbox"/> XY480	Narrow set handrim	<input type="checkbox"/> XY485	Wide set handrim
<input type="checkbox"/> XL090	Remove excess mounting tabs <i>(recommended for small wheel gaps)</i>		
Handrim Styles			
<input type="checkbox"/> XL010	Aluminium hard anodised 6 tab	<input type="checkbox"/> XL040	Titanium 6 tab
<input type="checkbox"/> XL160	Elipse 6 tab <i>(replacement for Surge)</i>	<input type="checkbox"/> XL035	Natural Fit LT
<input type="checkbox"/> XL020	Tetra grip 6 tab	<input type="checkbox"/> XL150	Carbolife Gekko <input type="checkbox"/> Black <input type="checkbox"/> Silver
<input type="checkbox"/> XL100	Para grip 6 tab	<input type="checkbox"/> XL170	Carbolife Curve L (Black)
Tyre Options			
<input type="checkbox"/> XM010	Kenda <input type="checkbox"/> Grey <input type="checkbox"/> Blue <input type="checkbox"/> Red <i>(Std)</i>	<input type="checkbox"/> XM060	Schwalbe One <i>(24", 25" only)</i>
<input type="checkbox"/> XM130	Kenda black	<input type="checkbox"/> XM050	Kenda K885 mountain bike tyre <i>(24", 25" only)</i>
<input type="checkbox"/> XM020	Schwalbe Marathon Plus		
<input type="checkbox"/> XM040	Shox solid airless <i>(Black only)</i>		
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve <i>(Standard if no option selected)</i>	<input type="checkbox"/> XY490	Presta inner tube valve
Wheel Accessories			
<input type="checkbox"/> XK220	Titanium 130mm quick release axle pins <i>(pair)</i> (N/A with XK010 & XK070)	<input type="checkbox"/> XK300	Offroad wheel set 22" with handrim, MTB tyre and axle pins (Replaces 24" wheel with XM010)
<input type="checkbox"/> XK240	Quad release axle nuts <i>(pair)</i>	<input type="checkbox"/> XK310	Offroad wheel set 24" with handrim, MTB tyre and axle pins (Replaces 25" wheel with XM010)

FINISH OPTIONS			
Frame & Component Finish			
<input type="checkbox"/> XN010	Powder coated frame	<input type="checkbox"/> XN150	Powder coated components <i>(Frame colour if not specified)</i>
Frame Comp. Gloss		Frame Comp. Matt	
<input type="checkbox"/> <input type="checkbox"/>	Black gloss 103	<input type="checkbox"/> <input type="checkbox"/>	Black matt 105
<input type="checkbox"/> <input type="checkbox"/>	White gloss 100	<input type="checkbox"/> <input type="checkbox"/>	White matt 101
<input type="checkbox"/> <input type="checkbox"/>	Grey gloss 132	<input type="checkbox"/> <input type="checkbox"/>	Grey matt 131
<input type="checkbox"/> <input type="checkbox"/>	Cream gloss 135	<input type="checkbox"/> <input type="checkbox"/>	Light grey matt 133
<input type="checkbox"/> <input type="checkbox"/>	Red gloss 108	<input type="checkbox"/> <input type="checkbox"/>	Navy blue matt 152
<input type="checkbox"/> <input type="checkbox"/>	Yellow gloss 120	<input type="checkbox"/> <input type="checkbox"/>	Chrome Mirror 300
<input type="checkbox"/> <input type="checkbox"/>	Forest green gloss 143	<input type="checkbox"/> <input type="checkbox"/>	Sparkle silver 170
<input type="checkbox"/> <input type="checkbox"/>	Green gloss 107	<input type="checkbox"/> <input type="checkbox"/>	Metallic black matt 104
<input type="checkbox"/> <input type="checkbox"/>	Dark blue gloss 151	<input type="checkbox"/> <input type="checkbox"/>	Metallic grey matt 130
<input type="checkbox"/> <input type="checkbox"/>	Royal blue gloss 154	<input type="checkbox"/> <input type="checkbox"/>	Black sandpaper 201
<input type="checkbox"/> <input type="checkbox"/>	Blue gloss 174	<input type="checkbox"/> <input type="checkbox"/>	Grey sandpaper 202
<input type="checkbox"/> <input type="checkbox"/>	Duckegg blue gloss 141	<input type="checkbox"/> <input type="checkbox"/>	White sandpaper 200
<input type="checkbox"/> <input type="checkbox"/>	Pink gloss 188		
<input type="checkbox"/> <input type="checkbox"/>	Orange gloss 180		
<input type="checkbox"/> <input type="checkbox"/>	Purple gloss 157		
<input type="checkbox"/> TGAXN030	Brushed frame <i>(All parts black unless XN160 chosen)</i>	<input type="checkbox"/> XN200	Individual paint colour (State Colour/RAL code)
<input type="checkbox"/> TGAXN050	Polished frame <i>(All parts black unless XN170 chosen)</i>		
		<input type="checkbox"/> XN160	Brushed components
		<input type="checkbox"/> XN170	Polished components
Accent Colour			
Note: Accent colour includes, forks, clamps & castor caps.			
<input type="checkbox"/>	Black accent	<input type="checkbox"/>	Silver accent
<input type="checkbox"/>	Red accent	<input type="checkbox"/>	Blue accent
<input type="checkbox"/>	Purple accent	<input type="checkbox"/>	Carbon accent <i>(Castor caps only, black for rest)</i>
		<input type="checkbox"/> XN250	Individual Accent Colour
UPHOLSTERY			
Seat Upholstery			
<input type="checkbox"/> XP040	Seat sling adjustable tension with straps	<input type="checkbox"/> XR050	Carbon fibre seat plate
Backrest Upholstery			
<input type="checkbox"/> XP050	Airtech backrest strap adjustable	<input type="checkbox"/> XP070	Backrest upgrade to leather corners <i>(Black)</i>
Backrest Stitching Colour			
<input type="checkbox"/>	Silver	<input type="checkbox"/>	Black
<input type="checkbox"/>	Red	<input type="checkbox"/>	Orange
<input type="checkbox"/>	Blue	<input type="checkbox"/>	Purple
<input type="checkbox"/>	Individual:	_____	
RGK Logo Colour			
<input type="checkbox"/>	White (Std)	<input type="checkbox"/>	Green
<input type="checkbox"/>	Red	<input type="checkbox"/>	Orange
<input type="checkbox"/>	Blue	<input type="checkbox"/>	Purple
<input type="checkbox"/>	Individual:	_____	
Model Logo Colour			
<input type="checkbox"/>	White (Std)	<input type="checkbox"/>	Green
<input type="checkbox"/>	Red	<input type="checkbox"/>	Orange
<input type="checkbox"/>	Blue	<input type="checkbox"/>	Purple
<input type="checkbox"/>	Individual:	_____	
Backrest Accessories			
<input type="checkbox"/> XP110	Backrest with zip pocket	<input type="checkbox"/> XP170	Individual backrest embroidery <i>PLEASE COMPLETE PAGE 11</i>

CUSHION	
Cushion foam options	
<input type="checkbox"/> XP080	Cushion foam <i>(select density and size below)</i>
<input type="checkbox"/> Soft (CMS040)	<input type="checkbox"/> Medium (CMS050)
<input type="checkbox"/> 50mm	<input type="checkbox"/> 75mm
	<input type="checkbox"/> 100mm
Cushion Cover Upgrades	
<input type="checkbox"/> XP085	Nylon cushion cover <i>(Black)</i>
<input type="checkbox"/> XP090	Air Lite cushion cover <i>(Black)</i>
<input type="checkbox"/> XP100	Leather cushion cover <i>(Black)</i>
Jay Products - PLEASE PROVIDE JAY ORDER FORM	
<input type="checkbox"/> JAY Cushion <i>(Price dependant on size / option)</i>	<input type="checkbox"/> Jay Order form attached
<input type="checkbox"/> JAY Backrest <i>(Price dependant on size / option)</i>	<input type="checkbox"/> Jay Order form attached
<input type="checkbox"/> JAY Whitmyer Headrest <i>(Price dependant on size / option)</i>	<input type="checkbox"/> Jay Order form attached
FRAME OPTIONS	
<input type="checkbox"/> XR060	Welded calf strap mounting loops <i>(To locate calf strap on front frame)</i>
	Specify height from floor <input style="width: 150px; height: 20px;" type="text"/>
<input type="checkbox"/> Optimise measurements	
	
ACCESSORIES	
<input type="checkbox"/> XR080	Frontwheel assembly <i>(Only with Tubular style footrest)</i>
<input type="checkbox"/> XP120	Frame protectors Neoprene zip fasten with TIGA logo <i>(Black)</i>
<input type="checkbox"/> XP420	Frame protectors Nylon velcro fasten <i>(Black)</i>
<input type="checkbox"/> XR010	Seat pouch velcro attach <i>(Black)</i>
<input type="checkbox"/> XR200	Rucksack with RGK logo <i>(Black)</i>
<input type="checkbox"/> XR020	Underseat large storage bag <i>(Black)</i>
<input checked="" type="checkbox"/> XA020	Tool kit
<input checked="" type="checkbox"/> XS060	Calf strap

DONATE / PART EXCHANGE

Donate your old chair for up to off this order*

*Participating RGK resellers only. Any donation chair must include a functional frame and wheels. RGK will replace the upholstery and arrange delivery to a worthy cause.

Chair Make/Model: _____

Chair Serial/Ref No: _____

Agreed Value: _____

Part Exchange your old chair for up to off this order*

*Participating RGK resellers only. Any Part Exchange chair must be less than 5 years old and include a functional frame, componentry and wheels.

Chair Make/Model: _____

Chair Serial/Ref No: _____

Agreed Value: _____

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES: