

Customer ID: _____

ORDER FORM

ORDER ☐ QUOTE ☐

ICON 60

LIGHTWEIGHT, RIGID FRAME
WHEELCHAIR

Base model £1895.00

- Max user weight - 120kg
- Series 7000 Aluminium rigid active wheelchair
- Multiple of adjustments, Seat Depth, Front and Rear Seat Heights and Centre of Gravity
- Angle Adjustable Front Forks
- 24" Day Light Rear Wheel with back anodised hand rim, QR Axle and Pneumatic tyre
- 4" Alu Core Castor
- Lockdown Folding, Angle, Height and Tension Adjustable Backrest with 3D breathable Fabric and Seat cushion.
- Low Profile Scissor Lock Brakes
- Aluminium Side Guards
- Calf strap and under seat zipped pouch included

SUITABLE FOR USE WITH POWERED
ASSISTED WHEELCHAIR SYSTEMS



Help to save paper and use the interactive PDF.

Please order by e-mail to ukadmin@rehasense.com. Thank's a lot.


Name:	Date:
Customer ID:	Order number:
Contact person:	Delivery address
E-Mail:	Str. & house nr:
Tel./Fax:	City & postcode:

PLEASE MARK TO SELECT AN OPTION


Hereby I consent to the processing of my personal data for the purpose of the order fulfilment for a rehabilitation equipment in accordance with Article 4 Paragraph 11 of the Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation)

I am aware of the fact that all dimensions can be provided within the dimensional tolerance of ± 1 cm. A dimensional deviation within this tolerance range shall not constitute a reason to claim the wheelchair and deem it non-compliant with this contract.


SEAT WIDTH

tick to order	Part number	Description	Standard or cost option	Price	
☐	SW36	Seat width 36 cm	Standard	£ 0,00	
☐	SW38	Seat width 38 cm	Standard	£ 0,00	
☐	SW40	Seat width 40 cm	Standard	£ 0,00	
☐	SW42	Seat width 42 cm	Standard	£ 0,00	
☐	SW44	Seat width 44 cm	Standard	£ 0,00	
☐	SW46	Seat width 46 cm	Standard	£ 0,00	
☐	SW48	Seat width 48 cm	Standard	£ 0,00	


SEAT DEPTH

☐	SD40	Seat depth 40 cm	Standard	£ 0,00	Seat range adjustable between 40 cm – 49 cm 
☐	SD41.5	Seat depth 41.5 cm	Standard	£ 0,00	
☐	SD43	Seat depth 43 cm	Standard	£ 0,00	
☐	SD44.5	Seat depth 44.5 cm	Standard	£ 0,00	
☐	SD46	Seat depth 46 cm	Standard	£ 0,00	
☐	SD47.5	Seat depth 47.5 cm	Standard	£ 0,00	
☐	SD49	Seat depth 49 cm	Standard	£ 0,00	


FRONT SEAT HEIGHT

☐	SH50	Seat Height Front 50 cm	Standard	£ 0,00	
☐	SH49	Seat Height Front 49 cm	Standard	£ 0,00	
☐	SH47	Seat Height Front 47.5 cm	Standard	£ 0,00	

REAR SEAT HEIGHT


☐	RSH1	Position 1: 42 cm	Standard	£ 0,00	
☐	RSH2	Position 2: 44.5 cm	Standard	£ 0,00	
☐	RSH3	Position 3: 47 cm	Standard	£ 0,00	

LOWER LEG LENGTH (FOOTREST POSITION)

☐	LLL1	Position 1: 41.5 cm	Option	£ 0,00	
☐	LLL2	Position 2: 43 cm	Standard	£ 0,00	
☐	LLL3	Position 3: 44.5 cm	Option	£ 0,00	
☐	LLL4	Position 4: 46 cm	Option	£ 0,00	


SEAT POSTION (BALANCE)

☐	SP1	Position 1 = +7.5 cm Most Active	Option	£ 0,00
☐	SP2	Position 2 = + 6 cm	Option	£ 0,00
☐	SP3	Position 3 = + 4.5 cm	Option	£ 0,00
☐	SP4	Position 4 = + 3 cm	Standard	£ 0,00
☐	SP5	Position 5 = +1.5 cm	Option	£ 0,00
☐	SP6	Position 6 = 0	Option	£ 0,00
☐	SP7	Position 7 = -1.5 cm	Option	£ 0,00
☐	SP8	Position 8 = -3 cm Least Active	Option	£ 0,00



BACK REST ANGLE

☐	BRA1	Forward 0 → +20°	Option	£ 0,00
☐	BRA2	Backward -10 → 0°	Standard	£ 0,00




BACKREST OPTIONS


☐	BRO1	Height adjustable backrest without push handles	Standard	£ 0,00
☐	BRO2	Height adjustable backrest fitted with height adjustable push handles	Option	£ 160,00
☐	BRO3	Height adjustable backrest fitted with ergonomic backrest frame	Option	£ 140,00
☐	BRO4	Height adjustable backrest fitted with ergonomic backrest frame and height adjustable push handles	Option	£ 160,00
☐	BRO5	Height adjustable, standard backrest without push handles width adjustable between -3 to +3cm	Option	£ 140,00
☐	BRO6	Height adjustable, standard backrest without push handles width adjustable between -7 to +7cm	Option	£ 140,00




BRO1
Height adjustable backrest without push handles



BRO2
Option with adjustable handles in the backrest frame.




BRO3
Option with height adjustable backrest fitted with ergonomic backrest frame.



BRO4
Option with adjustable handles in the backrest frame. Crossbar curved, two radiuses.




BRO5
Small radius, extendable in length and width direction, up to the narrowing of extension elements (from -3 to +3 cm)..



BRO6
Big radius, extendable in length and width direction, up to the narrowing of extension elements (from -7 to +7 cm).

BACKREST OPTIONS

☐	BRH1	Backrest with foldable pushhandles, single bended crossbar, frame height 25cm +6cm with handle (31cm)	Option	£ 100,00		
☐	BRH2	Backrest with foldable pushhandles, single bended crossbar, frame height 30cm +6cm with handle (36cm)	Option	£ 100,00		Backrest height non-extendable, for folding handles in the backrest frame.
☐	BRH3	Backrest with foldable pushhandles, single bended crossbar, frame height 35cm +6cm with handle (41cm)	Option	£ 100,00		
☐	BRH4	Backrest with foldable pushhandles, double bended crossbar, frame height 25cm +6cm with handle (31cm)	Option	£ 100,00		
☐	BRH5	Backrest with foldable pushhandles, double bended crossbar, frame height 30cm +6cm with handle (36cm)	Option	£ 100,00		Backrest height non-extendable, for folding handles in the backrest frame. Crossbar curved, two radiuses
☐	BRH6	Backrest with foldable pushhandles, double bended crossbar, frame height 35cm +6cm with handle (41cm)	Option	£ 100,00		

FOOTREST

☐	FR1	Standard footrest	Standard	£ 0,00		
☐	FR2	Reinforced footrest for track wheel	Option	£ 75,00		

TRACK WHEEL

☐	STWA	Single arm track wheel Aluminium	Option	£ 385,00		
☐	STWC	Single arm track wheel Carbon	Option	£ 499,00		
☐	DTWC	Double arm track wheel Carbon	Option	£ 599,00		

SIDE PANELS

☐	SP1	Aluminium side panel, flat, swing away	Standard	£ 0,00	
☐	SP2	Carbon side panel, flat, swing away	Option	£ 130,00	

BRAKES

☐	B1	Horizontal (left, right)	Option	£ 65,00	
☐	B2	Horizontal Premium Lock-P (L+R)	Standard	£ 0,00	
☐	B3	Horizontal Lock-A in aluminium	Option	£ 110,00	



B1
Horizontal
(left, right)



B2
Lock-P
in plastic



B3
Lock-A
in aluminium

FRAME COLOUR

☐	FC1	White	Option	£ 0,00	     
☐	FC2	Black Matt	Standard	£ 0,00	
☐	FC3	Silver	Option	£ 0,00	
☐	FC4	Gold	Option	£ 40,00	
☐	FC5	Blue	Option	£ 40,00	
☐	FC6	Red	Option	£ 40,00	

FORKS

☐	F1	Standard Light	Standard	£ 0,00		Jazz-Shock 
☐	F2	Jazz-Shock	Option	£ 330,00		

FRONT WHEELS

☐	FW1	Alucore - 4" 100x34 mm rim anodised, Silver coloured	Standard	£ 0,00	 FW1 Alucore - 4" 100x34 mm rim anodised, Silver coloured
☐	FW2	Alucore - 4" 100x34 mm rim anodised, black coloured	Standard	£ 0,00	
☐	FW3	Alucore - 5" 125x34 mm rim anodised, silver coloured	Option	£ 50,00	
☐	FW4	Alucore - 5" 125x34 mm rim anodised, black coloured	Option	£ 50,00	
☐	FW5	Tristar - 4" 100x34 mm rim anodised, silver coloured	Option	£ 75,00	
☐	FW6	Tristar - 5" 125x34 mm rim anodised, silver coloured	Option	£ 75,00	

 FW2 Alucore - 4", 100 X 34 mm, anodised, black coloured	 FW3 Alucore - 5", 125 X 34 mm rim anodised, silver coloured	 FW4 Alucore - 5", 125 X 34 mm rim anodised, black coloured	 FW5 Tristar - 4" 100x34 mm rim anodised, silver coloured	 FW6 Tristar - 5" 125x34 mm rim anodised, silver coloured
---	---	--	--	--

REAR WHEELS

☐	RW1	Day lite - 24" x 1" wheel (Tyre: T1, T2, T3: Pushrim: PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)	Standard	£ 0,00	 RW1 DAY LITE 930S 24" wheel/2 pcs.
☐	RW2	Sky lite - 24" x 1" wheel (Tyres: T1, T2, T3: Pushrim: PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)	Option	£ 220,00	
☐	RW3	Tensio Spirit fibre glass 24" x 1" wheel (Tyres: T1, T2, T3: Pushrim: PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)	Option	£ 410,00	
☐	RW4	Hurricane 24" x 1" Wheel (Tyres: T1, T2, T3: Pushrim: PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)	Option	£ 410,00	
☐	RW5	Off road 24" x 2" buddy wheel (Tyres: T4: Pushrim: PR2, PR7)	Option	£ 550,00	

 RW2 SKY LITE 930S 24" wheel/2 pcs.	 RW3 TENSIO SPIRIT glass fibre 24" wheel/ hub polished aluminium	 RW4 HURRICANE 24" wheel	 RW5 OFF ROAD 24" BUDDY wheel
---	--	--	--

TYRES

☐	T1	Speedlite 24" x 1"	Standard	£ 0,00	 T1 Speedlite 24"
☐	T2	Gazelle 24" x 1"	Option	£ 50,00	
☐	T3	Trailblazer 24" x 1"	Option	£ 80,00	
☐	T4	Schwalbe Big Apple (only to be used with 24" Buddy)	Option	£ 80,00	




PUSH RIMS


☐	PR1	Anodised aluminium, Black - coloured	Standard	£ 0,00	 PR1 Anodised aluminium, Black - coloured
☐	PR2	Anodised aluminium, Silver - coloured	Option	£ 0,00	
☐	PR3	Steel	Option	£ 70,00	
☐	PR4	Titanium	Option	£ 175,00	
☐	PR5	Tetra Optimum F	Option	£ 200,00	
☐	PR6	Tetra Tour H	Option	£ 200,00	
☐	PR7	Tetra silicone, Black	Option	£ 85,00	
☐	PR8	Nova H	Option	£ 210,00	



CAMBER REAR WHEELS


☐	CRW0	Camber 0	Option	£ 0,00	
☐	CRW1	Camber 1	Option	£ 0,00	
☐	CRW2	Camber 2	Standard	£ 0,00	
☐	CRW3	Camber 3	Option	£ 0,00	

BUSHING TYPE

☐	BT1	Metric 12 mm	Option	£ 0,00	
☐	BT2	Inch 1/2"	Standard	£ 0,00	

QR AXLES

☐	QR1	Quick release axle / 2pcs	Standard	£ 0,00	
☐	QR2	Quick release tetra handle axle / 2pc	Option	£ 120,00	



OPTIONS

☐	O1	Anti-Tip Left and Right swing away	Option	£ 240,00	
☐	O2	Anti-Tip Left Only	Option	£ 120,00	
☐	O3	Anti-Tip Right Only	Option	£ 120,00	

Technical Data will vary according to the frame dimensions chosen and the way the wheelchair is set up (front and rear wheels). The data in the table refers to a Seat Width of 40 cm and a Seat Depth of 42 cm. All measurements are in centimeters (cm) for distance and kilograms (kg) for weight, unless otherwise stated.